

भारतीय सूचना प्रौद्योगिकी संस्थान, इलाहाबाद Indian Institute of Information Technology, Allahabad

An Institute of National Importance by Act of Parliament Deoghat, Jhalwa, Allahabad-211015 (U.P.) INDIA

Ph.: 0532-2922025, 2922067, Fax: 0532-2430006, Web: www.iiita.ac.in, E-mail: contact@iiita.ac.in

Ref no. IIIT-A/ENQ/FIP/348/ 297/2018

Date: 03/08/2018

Enquiry Letter

| M/s |
|----------|
| |
| |
| Ph. No.: |

Sub: Quotations for procurement of "SITC of Electrical power cable & wiring for Dormitory Ductable AC unit at IIIT-Allahabad"

Enquiry issue date: 03.08.2018

Last date of submission: 23/08/2018 at 12:00 Noon

Opening of Bid: 23/08/2018 at 4:00 PM

EMD- Rs. 10,300.00 through NEFT/RTGS in mentioned A/c of IIITA

Dear Sir,

Institute is inviting sealed quotations for <u>"SITC of Electrical power cable & wiring for Dormitory Ductable AC unit at IIIT-Allahabad"</u> as per details given as below:-

| SN | Item Description | Unit | Qty | Rate | Amount |
|----|---|------|-----|------|--------|
| Α | Supply & Installation of Cables | | | | |
| 1 | Supply of 3.5 C X 150 sq. mm Al. Arm. Cable XLPE cable, PVC insulated and PVC sheathed / XLPE aluminum conductor cable of 1.1 kV grade as required. (Polycab, Plaza, KEI, National or equivalent Make) | Mtr. | 180 | | |
| 2 | Supply of 4C x 16 sqmm Cu. Arm. Conductor, PVC insulated and PVC sheathed / XLPE cable of 1.1 kV grade as required. (Polycab, Plaza, KEI, National or equivalent Make) | Mtr. | 300 | | |
| | Cable Laying | | | | |
| 3 | Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as reqd. | | | | |
| | Above 95 sq. mm and upto 185 sq. mm | Mtr. | 180 | | |
| 4 | Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size on wall surface as required. | | | | |
| 5 | Upto 35 sq. mm (clamped with 1mm thick saddle) | Mtr, | 300 | | |
| В | Termination of Cable | | | | |
| 5 | Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 kV grade as required. | | | | |



| 6 | 3½ X 150 sq. mm (50 mm) | each | 1 2 | T. | 10 |
|----|--|-------|-----|----------|----|
| _ | 4 X 16 sq. mm (28mm) | | | | |
| С | Supply & Installation of Cable Route marker | 1 | 1.0 | 1 | - |
| 10 | Supplying and fixing cable route marker with 10 cm X 10 cm X 5 mm | each | 15 | | |
| D | | - | | | |
| 11 | 250A MCCB VTPN 16way IP42 DD DB supply & installation of vertical DB | Each | 1 | | - |
| | Supplying and fixing Cable End Box (Loose wire box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 V, on surface/ recess, complete with testing and commissioning etc. as required, make Hager, Havells, L&T | Each | 1 | | |
| E | 7 4 X 16 sq. mm (28mm) each 2 Supply & Installation of Cable Route marker Supplying and fixing cable route marker with 10 cm X 10 cm X 5 mm thick G.I. plate with inscription there on, bolted /welded to 35 mm X 35 mm X 6 mm angle iron, 60 cm long and fixing the same in ground as required. D Supply & Installation of Vertical DB Supplying and fixing Cable End Box (Loose wire box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 V, on surface/ recess, complete with testing and commissioning etc. as required. make Hager, Havells, L&T E Supply & fixing of MCCB & MCBs in Vertical DB Providing and fixing following rating and breaking capacity and pole MCCB with thermo magnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. 3 250 A, 36kA, FPMCCB, C type (In Main vertical DB) Supplying and fixing following rating, four pole, 415 V, MCB / isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. Supplying and fixing following rating, four pole, 415 V, MCB / isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. Supply & Installation of Earthing Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 meter below ground level for conductor earth electrode, including connection/ termination with G.I. pipe from earth electrode including connection with G.I. nut, bolt,spring, washer excavation and re-filling etc. as required. Providing and fixing 25 mm X 5 mm G.I. strip in 40 mm dia G.I. pipe from earth electrode including connection with G.I. nut, bolt,spring, washer excavation and re-filling etc. as required. | | | | |
| 12 | Providing and fixing following rating and breaking capacity and pole MCCB with thermo magnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making | | | | |
| 13 | 250 A, 36kA, FPMCCB, C type (at Main Feeder panel) | each | 1 | - | |
| 14 | 200 A, 36kA, FPMCCB, C type (In Main vertical DB) | | | | |
| 15 | Supplying and fixing following rating, four pole, 415 V, MCB / isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. | cucii | 1 | | |
| 16 | | each | 9 | | |
| 17 | box (VYM04C) make Hager, Havells, L&T | | 10 | | |
| F | Supply & Installation of Earthing | | | | |
| 18 | accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with | Set | 1 | | |
| 19 | for conductor earth electrode, including connection/ termination with | Mtr. | 5 | | |
| 20 | from earth electrode including connection with G.I. nut, bolt, spring, washer excavation and re-filling etc. as required. | Mtr. | 5 | | |
| 21 | Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required. | Mtr | 300 | | |
| | | | T | otal Rs. | |
| | | | | | |
| | | Gr | | | |

You are requested to submit the sealed quotation by courier/speed post with complete details of specifications, terms & conditions, etc. upto 23/08/2018 at 12:00 Noon. Quotations duly sealed may also be dropped in the tender box placed in the office of the Faculty In-Charge (Purchase), IIIT-Allahabad. Basic rate, taxes and freight charges etc. must be quoted separately, F.O.R destination at IIIT-A, Deoghat Jhalwa, Allahabad. Kindly mention enquiry number, subject, due date, contact address etc., on your quotation. Incomplete quotation will not be accepted.

Quotation should be addressed to Faculty In-Charge (Purchase), IIIT-Allahabad, Deoghat Jhalwa, Allahabad-211015.



Note:

1. EMD fee should be directly transfer in to the bank Account of IIITA as mentioned below

| Account Name | Bank's Name with Branch office Address | Account No. | IFSC Code |
|--------------------------|---|-----------------|-------------|
| IIITA General Account | Indian Overseas Bank 61, MG Marg, Civil Lines, Allahabad | 035001000060976 | IOBA0000350 |

- 2. Quoted rates should be valid at least for 60 days.
- 3. The work should be carried out as per specification and norms of CPWD.
- 4. Contractor should be registered in central government in appropriate class like CPWD, MES, PWD etc (Proof of Documents should be attached).
- 5. Minimum turn over of the firm should be 10 lakh or more in last two financial years seperately (Last 02 Years with documentry proof of the same).
- 6. Tenderers are requested to submit at least two work order of similar nature work from any government organization for amount Rs. 05 lakh during each financial year 2016-2017, 2017-2018 (attach documentry proof).
- 7. May feel free to contact on e-mail info.purchase@iiita.ac.in, Ph. No: 0532-2922051.
- 8. For technical query kindly Contact to Mr. S.P.Sahu (JE) IWD Ph. No. 0532-2922044.
- 9. Kindly quote & attach a copy of your income tax PAN No. / GST no. etc. mandatory on the quotation raised by you. If PAN no. not quoted, 20% TAX will be deducted at source.
- 10. Supply and installation of the above items must be completed within 4 weeks from the date of receipt of the order. If the supply delayed beyond the stipulated time of completion of the supply, penalty of 1% per week or maximum 10% of the total cost may be imposed at the discretion of the competent authority.
- 11. All disputes are subject to the jurisdiction of Allahabad.
- 12. Price Basis & applicable Tax claim: Price should be quoted by interested Tenderer is inclusive of all up to F.O.R. IIITA, Allahabad basis. Vendor should clearly mention the Rate of applicable GST Tax separately, if firm will not mentioned the Taxes clearly on their Price Quotation, IIIT Allahabad will assume that the quoted price is inclusive of all and no extra amount in later stage shall be paid by IIIT, Allahabad on account of Taxes.
- 13. If it is found that items are of sub-standard quality and not conforming to the required specifications, the firm will have to replace the fake/ sub-standard items with genuine ones immediately but they will also be liable to be blacklisted.
- 14. Conditional quotations are liable to be rejected. In the event of acceptance, Director's decision will be final. The rates should be quoted as per our required specifications.
- 15. Evaluation of offers will be made on the basis of total amount of all items inclusive of all charges, taxes, duties, etc., for the indicated quantity in the attached format. Rate for all the items is to be quoted by the tenderer. In case of any item has not been quoted by any bidder that bid for such items will be loaded with the highest rate received for that item as evaluation is to be done on the total amount of all the items for the indicated quantity. However, while awarding the rate contract successful bidder has to supply all the items and for those items for which bidder has not quoted the rates will get the lowest rate received in the tender. Every bidder has to agree to this condition failing which its offer will not be considered for award of work.
- 16. The right to accept or reject any tender/ quotation, partially or wholly, including lowest quotation without assigning any reason whatsoever thereof or incurring any liability thereby is reserved with the Director, IIIT, Allahabad. The Director, also reserves the right to split the

lanje ...

tender and place the orders for supply of item(s), mentioned in the enquiry letter on one or more tenderer. The decision of the Director, with regard to enforcement of these terms and conditions herein contained, as a result of breach of these conditions by successful Tenderer/s, shall be final and the Director, shall not be liable for any damage/liability put forth by the Tenderers at any stage of the transaction arising out of the enforcement of any or all herein contained terms and conditions.

- 17. Payment will be made within fifteen days after completion of work, satisfactory inspection & satisfactory report. No conditions/clause with regard to interest etc. shall be entertained.
- 18. The quantity shown in this tender is only approximate requirement and is subject to alteration within 10%, however the payment will be made as per actual measurements. It will be binding on the part of the successful Tenderers to honour and comply with such instructions placed by the Institute.
- 19. The firm has to deposit the Security deposit equivalent to 10% of the ordered value within 7 days, for the period of 6 months after the completion of work.
- 20. All the documents submitted must be legible and self attested. Otherwise it is likely to be rejected.
- 21. In case the firm fails to complete the job within maximum specified period, Institute reserves the right to get the job done by any other firm and the difference of cost if any, will be recovered from the defaulting firm.
- 22. Tenderers responding to this enquiry shall be deemed to be agreeable to the terms and conditions herein contained. These terms and conditions shall be binding on the part of the successful tenderer.
- 23. Bidders should take into account any corrigendum published on the Tender document before submitting their bids. All such corrigendum will be placed on IIITA website www.iiita.ac.in. Intending tenderers are advised to visit www.iiita.ac.in for regular update, if any, till the closing date of tender for any corrigendum/ addendum/ amendment. IIITA will not be responsible for ignorance of corrigendum.
- 24. Details of Bank account of the Tenderers/Bidder for returning of EMD and/or Performance Security/Bill payment.

| Name of Firm | Account Name | Bank's Name with complete Address of Branch office | Account No. | IFSC Code |
|--------------|--------------|---|-------------|-----------|
| = | | | | |

Assistant Registrar (Purchase)

Copy to:

> P S to Hon'ble Director for kind information.