

# भारतीय सूचना प्रौद्योगिकी संस्थान, इलाहाबाद Indian Institute of Information Technology, Allahabad

An Institute of National Importance by Act of Parliament Deoghat, Jhalwa, Allahabad-211012 (U.P.) INDIA

Ph.: 0532-2922025, 2922067, Fax : 0532-2430006, Web : www.iiita.ac.in, E-mail : contact@iiita.ac.in

Ref. No.: IIIT-A/DR(S&P)/レルゴ /2017 Date: 10th January, 2017

# **Tender Notice**

Sealed tenders are invited under Two Bid systems for the Supply of **Electrical Items for UPS room** at Indian Institute of Information Technology, Deoghat, Jhalwa, Allahabad. The detailed specifications and terms & conditions are given in Annexure I, II, III.

1)	Place of Supply -	:	IIIT-Allahabad		
2) Tender Processing Fee-		:	Rs.500/- (In the form of DD)		
3)	EMD -	:	Rs.13,000/- (In the Form of DD/FDR/ Bank Guarantee) in favour of "IIIT-Allahabad"		
4)	Date of submission -	:	31.01.2017 (12:00 Noon)		
5)	Tender opening date -	:	31.01.2017 (3:30 PM) (Technical Bid)		

The "Technical and Commercial Bids" in two separate sealed envelopes placed in a single envelope with name of the tender, ref. number and closing date subscribed on the top of the envelope addressed to the Deputy Registrar (S&P), IIIT-Allahabad upto 31/01/2017 at 12:00 noon. Quotations duly sealed may also be dropped in the tender box placed in the office of the Deputy Registrar (S&P), IIIT-Allahabad. Basic rate, taxes and freight charges etc. must be quoted separately, F.O.R. destination at IIIT-A, Jhalwa, Allahabad.

Tender document may be downloaded from the Institute website www.iiita.ac.in and submitted along with Rs.500/- of tender processing fee in form of DD in favour of "Indian Institute of Information Technology, Allahabad payable at Allahabad.

The technical bid received in prescribed proforma will be opened in the presence of the tenderers, or authorized representatives interested to be present, on 31/01/2017 at 03:30 P.M. The Financial bids of technically qualified tenderers will only be opened after technical evaluation by the Technical Committee. Basic rate, taxes and freight charges etc. must be quoted separately,

(Dr. Seema Shah) Deputy Registrar (S&P)

Copy to:

Hon'ble Director for kind in formation.

## **Technical Bid**

# (On letter head of the Firm & in a separately sealed envelope)

#### PROFORMA FOR APPLICATION

1. Name of the firm :	
3. Phone Number (With Code):	
4. Proprietor's name: 5. Address of Proprietor:	
6. Proprietor's Phone No. :	
7. Email Id:	
8. Details of the firm:-	
(a)Date from which the firm is	operating:
(b)Turnover of the firm during:	- FY 2013-14 (₹)
	FY 2014-15 (₹)
	FY 2015-16 (₹)
(Pl	ease attach documentary evidence)
(c) PAN No. :	
(d) TIN No. :	
(e) Service Tax Registration No.	(If any):

- 8. **Tender Processing Fee:** An amount of Rs. 500/- (Five Hundred Only) of tender (non refundable) is to be paid cash or DD payable in favour of **Indian Institute of Information Technology Allahabad** payable at **Allahabad**.
- 9.**E.M.D.**: The tenders should be accompanied in a form of a **Demand Draft/FDR** or **Bank Guarantee** in favour of **Indian Institute of Information Technology Allahabad** payable at **Allahabad** (Any bid without EMD will not be considered). EMD should be enclosed with the Technical Bid document in a separate envelop. The EMD will be returned to the unsuccessful bidders within 15 days and to the successful bidders beyond 60 days after supply of items.

10. Amount of EMD as below:

Sl. No	Description	EMD Amount	DD No./FDR Date	
1.	Electrical Items for UPS room	Rs.13,000/-		

Annexure-II

#### Terms and Conditions the Tender

- 1. F.O.R. destination at Indian Institute of Information Technology, Allahabad
- 2. Preference will be given to the firm, if Manufacturer/Sole distributor
- Quoted rate should be valid at least for 60 days.
- 4. Turnover of the firm should be 15 lakh for the last two year.
- 5. The quality and specification be adhered to strictly. If not found according to specification, supply will not be accepted.
- 6. Bidder must sign in each and every page of the enclosed tender documents.
- 7. The vendor should have supplied minimum order of 6 lakh and above for the quoted items.
- 8. Enquiry/tender must be quoted in prescribe format on the company/firm letter head.
- 9. It is most essential that it should be mentioned clearly that the price basis, payment terms, works schedule taxes and duties, validity, transportation charges.
- 10. Replacement, Guarantee and Warranty as applicable should be clearly mentioned in quotation
- 11. Trade/Sales tax/VAT or any other tax or other charges on the material, which has not been mentioned while quoting their rates shall not be paid by the Institute under any circumstances. The firm has to bear all taxes.
- 12. Upon verification/evaluation/assessment, if in case any information furnished by the Bidder is found to be false/incorrect, their bid shall be summarily rejected and no correspondence on the same shall be entertained. It is the responsibility of bidder to verify the authenticity of any third party document being submitted as part of the eligibility requirements. EMD will be forfeited if any forged or false document is submitted.
- 13. Payment will be made within fifteen days after supply of items and satisfactory report from user end.
- 14. May feel free to contact on E-mail info.purchase@iiita.ac.in, Ph. No.: 0532-2922051.
- 15. In view of wide publicity the details are also available on our web site (www.iiita.ac.in), may be seen.
- 16. Kindly quote your Income Tax PAN No./TIN No., Service Tax Registration No. etc. mandatory on the quotation raised by you. If PAN No. not quoted, 20% Tax will be deducted at source.
- 17. The lowest rate will not be the basis of claim to get the order.
- 18. Supply within 5 weeks from the receipt of the Purchase order. If, the supply delayed beyond the stipulated time of completion of supply penalty of 1% per weeks of total cost may be imposed at the discretion of competent authority. The penalty may be upto 10% of the total cost.
- 19. Conditional tenders will not be considered in any case. They will be summarily rejected.
- 20. All disputes are subject to jurisdiction of Courts at Allahabad.
- 21. Director, Indian Institute of Information Technology, Allahabad reserves the right to reject or accept any tender.
- 22. Kindly mention enquiry reference number, subject, due date contact address etc on envelops. Incomplete quotation will not be accepted.

Deputy Registrar (S&P)

### Annexure-III

Financial Bid
(On letter head of the Firm & in a separately

1. 100 Amp, separater Make L & 2. 100 Amp, Havells/A 3. 25 Sqmm PVC insulwith Flam 4. 25x4C Sqiinsulated 1.1 KV gra 5. 25mm, Cu (Action/D 7. PVC flexible Sqmm Arm 9. G.I. Sando Sqmm Arm 10. PVC insulwing Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Havel 13. Nylon Tie BOQ For Admin 1. 100 Amp, Separater Havells / A 100 Amp, Can 100 A	in main building UPS room- ,FP,30KA,MCCB with terminal and spreader link kit, 5T/ Havells/ABB/Hager ,FP,30KA,MCCB S.S. enclosure (L&T / ABB/Hager) multistrand Flexible Cu conductor lated Industrial cable of 1.1 KV grade ne proof Make- Havells/Finolex/Anchor nmm copper armoured cable PVC with PVC sheathed / XLPE cable of ade Make- Havells /Finolex/Anchor ulugs Ring Type, heavy duty, Dowells/ Jakson) ulugs Bottle/Pin type, heavy duty, Dowells/ Jakson)	Nos. Nos. Mtr.	9 S S S S S S S S S S S S S S S S S S S	(Rs.	Total (Rs.)
1. 100 Amp, separater Make L & 2. 100 Amp, Havells/A 3. 25 Sqmm PVC insulwith Flam 4. 25x4C Sqinsulated 1.1 KV gra 5. 25mm, Cu (Action/D 7. PVC flexible Sqmm Arm 9. G.I. Sando Sqmm Arm 10. PVC insulwin Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Havells / A 100 Amp, Separater Havells / A 100 Amp, L&T/Havells / A 25 Sqmm PVC insulated 1.1 KV gra 1.1 KV	"FP,30KA,MCCB with terminal and spreader link kit, T/ Havells/ABB/Hager "FP,30KA,MCCB S.S. enclosure (L&T / ABB/Hager) — multistrand Flexible Cu conductor lated Industrial cable of 1.1 KV grade ne proof Make- Havells/Finolex/Anchor mm copper armoured cable PVC with PVC sheathed / XLPE cable of ade Make- Havells /Finolex/Anchor lugs Ring Type, heavy duty, Dowells/ Jakson) — lugs Bottle/Pin type, heavy duty, bowells/Jakson)	Nos. Mtr.	5		
separater Make L & 2. 100 Amp, Havells/A 25 Sqmm PVC insul with Flam 4. 25x4C Sq insulated 1.1 KV gra 5. 25mm, Cu (Action/D 7. PVC flexible Sqmm Arm 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Havells / A 100 Amp, I separater / A 100 Amp, I Separater / A 100 Amp, I Separate	and spreader link kit, T/ Havells/ABB/Hager FP,30KA,MCCB S.S. enclosure (L&T / ABB/Hager) multistrand Flexible Cu conductor lated Industrial cable of 1.1 KV grade he proof Make- Havells/Finolex/Anchor mm copper armoured cable PVC with PVC sheathed / XLPE cable of ade Make- Havells / Finolex/Anchor lugs Ring Type, heavy duty, Dowells/ Jakson) lugs Bottle/Pin type, heavy duty, bowells/ Jakson)	Nos. Mtr.	5		
2. 100 Amp, Havells/A 3. 25 Sqmm PVC insulwith Flam 4. 25x4C Sqinsulated 1.1 KV gra 5. 25mm,Cu (Action/D 6. 25mm,Cu (Action/D 7. PVC flexible Sqmm Arm 9. G.I. Sando Sqmm Arm 10. PVC insulwith Sqmm X 75 11. 8mm X 75 12. 100 Amp, S.S. encloon L& T/ Havells / A 13. Nylon Tie BOQ For Admit 1. 100 Amp, Separater Havells / A 1. 100 Amp, Separater Havells / A 2. 100 Amp, Separater Havells / A 2. 100 Amp, Separater Havells / A 3. 25 Sqmm PVC insulwith Flamm Anchor 4. 25x4C Sqrinsulated Squith Flamm Anchor 4. 25x4C Sqrinsulated Squith Flamm Anchor 5. 25mm,Cu (Action/Docells/Dowells/Do	"FP,30KA,MCCB S.S. enclosure (L&T / ABB/Hager)  multistrand Flexible Cu conductor lated Industrial cable of 1.1 KV grade he proof Make- Havells/Finolex/Anchor mm copper armoured cable PVC with PVC sheathed / XLPE cable of add Make- Havells /Finolex/Anchor lugs Ring Type, heavy duty, Dowells/ Jakson)  lugs Bottle/Pin type, heavy duty, bowells/Jakson)	Mtr.			
3. 25 Sqmm PVC insul with Flam 4. 25x4C Sq insulated 1.1 KV gra 5. 25mm,Cu (Action / I 6. 25mm,Cu (Action/D 7. PVC flexib 8. G.I. Sando Sqmm Arn 9. G.I. Sando sqmm Arn 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp,I separater Havells / I 2. 100 Amp,I separater Havells / I 3. 25 Sqmm PVC insul with Flam Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu (Action/Do	multistrand Flexible Cu conductor lated Industrial cable of 1.1 KV grade ne proof Make- Havells/Finolex/Anchor mm copper armoured cable PVC with PVC sheathed / XLPE cable of ade Make- Havells /Finolex/Anchor lugs Ring Type, heavy duty, Dowells/ Jakson) lugs Bottle/Pin type, heavy duty, bowells/Jakson)		250		
PVC insulwith Flam 4. 25x4C Sq insulated 1.1 KV gra 5. 25mm,Cu (Action / E 6. 25mm,Cu (Action/D 7. PVC flexib 8. G.I. Sando Sqmm Arn 9. G.I. Sando Sqmm Arn 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp,I separater Havells / I 2. 100 Amp,I (L&T/Havells / I 3. 25 Sqmm PVC insultwith Flam Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu (Action/Do	lated Industrial cable of 1.1 KV grade the proof Make- Havells/Finolex/Anchor the proof Make- Havells/Finolex/Anchor the proof Make- Havells / XLPE cable of the proof Make- Havells / Finolex/Anchor the lugs Ring Type, heavy duty, the proof of the proof		250		
insulated 1.1 KV gra 5. 25mm,Cu (Action / I 6. 25mm,Cu (Action/D 7. PVC flexib 8. G.I. Sando Sqmm Arn 9. G.I. Sando sqmm Arn 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp,I separater Havells / I 2. 100 Amp,I separater Havells / I 3. 25 Sqmm PVC insuli with Flam Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	with PVC sheathed / XLPE cable of ade Make- Havells /Finolex/Anchor lugs Ring Type, heavy duty, Dowells/ Jakson) lugs Bottle/Pin type, heavy duty, bowells/Jakson)	Mtr.			
5. 25mm,Cu (Action / II (Action	a lugs Ring Type, heavy duty, Dowells/ Jakson) a lugs Bottle/Pin type, heavy duty, Dowells/Jakson)	CHARLES AND ADDRESS OF THE PARTY OF	90		
6. 25mm,Cu (Action/D 7. PVC flexib 8. G.I. Sando Sqmm Arr 9. G.I. Sando sqmm Arr 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp, separater Havells / Action/D 2. 100 Amp, (L&T/Hav 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu (Action/Do	l lugs Bottle/Pin type, heavy duty, lowells/Jakson)	Nos.	60		
7. PVC flexible 8. G.I. Sando Sqmm Arm 9. G.I. Sando sqmm Arm 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp, separater Havells / A 2. 100 Amp, (L&T/Hav 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do		Nos.	30		
8. G.I. Sando Sqmm Arn 9. G.I. Sando sqmm Arn 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm: 1. 100 Amp, separater Havells / A. 100 Amp, (L&T/Hav 100 Amp, (L&T/Hav 100 Amp, 100	ole Pipe 65mm dia in spiral type	Mtr.	100		
sqmm Arm 10. PVC insul Nos. each 11. 8mm X 75 12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp, separater Havells / A 2. 100 Amp, (L&T/Hav 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	dle ,base & screw suitable (for 25	Nos.	50		
Nos. each  11. 8mm X 75  12. 100 Amp, S.S. enclo L& T/ Hav  13. Nylon Tie  BOQ For Adm  1. 100 Amp, separater Havells / A  2. 100 Amp, (L&T/Hav  3. 25 Sqmm PVC insula with Flame Anchor  4. 25x4C Sqr insulated 1.1 KV gra  5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do		Nos.	50		
12. 100 Amp, S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm: 1. 100 Amp, separater Havells / A. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 25mm, Cu / Dowells / 6. 25mm, Cu (Action/Dowells)		Nos.	30		
S.S. enclo L& T/ Hav 13. Nylon Tie BOQ For Adm 1. 100 Amp,l separater Havells / I 2. 100 Amp,l (L&T/Hav 3. 25 Sqmm PVC insula with Flam Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	5mm Steel Fastener	Nos.	20		
13. Nylon Tie  BOQ For Adm:  1. 100 Amp, separater Havells / A  2. 100 Amp, (L&T/Havells) 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	4Pole 2way change over Switch with sure, 415V,50/60Hz, 10KA,8kV Make- vells/ ABB/Hager	Nos.	1		
BOQ For Adm:  1. 100 Amp, separater Havells / A 2. 100 Amp, (L&T/Havells) 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	200 mm long (100 Pcs. Pkt.)	Pkt.	5		
1. 100 Amp, separater Havells / A 2. 100 Amp, l (L&T/Havel) 3. 25 Sqmm PVC insular with Flame Anchor 4. 25x4C Sqr insulated 1.1 KV gra 5. 25mm, Cu / Dowells / 6. 25mm, Cu (Action/Dowells)	in. Extn. Block-l UPS Room-				
separater Havells / A  2. 100 Amp,l (L&T/Havel 3. 25 Sqmm PVC insula with Flame Anchor 4. 25x4C Sqr insulated of 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	FP,30KA,MCCB with terminal				
(L&T/Have 3. 25 Sqmm PVC insular with Flame Anchor 4. 25x4C Sqr insulated of 1.1 KV gra 5. 25mm,Cu /Dowells/ 6. 25mm,Cu (Action/Do	and spreader link kit, Make L & T / ABB / Hager	Nos.	3		
PVC insular with Flame Anchor  4. 25x4C Sqr insulated 1.1 KV graves  5. 25mm,Cu /Dowells/  6. 25mm,Cu (Action/Dowells/	FP,30KA,MCCB S.S. enclosure ells/ABB/Hager)	Nos.	3		
insulated value of 1.1 KV graves of 1.1	multistrand Flexible Cu conductor ated Industrial cable of 1.1 KV grade e proof Make- Havells /Finolex/	Mtr.	720		
/Dowells/ 5. 25mm,Cu (Action/Do	mm copper armoured cable PVC with PVC sheathed / XLPE cable of ade Make- Havells /Finolex/Anchor	Mtr.	90		
(Action/Do		Nos.	60		
	lugs Bottle/Pin type,heavy duty, owelis/Jakson)	Nos.	30		
7. PVC flexib	le Pipe 65mm dia in spiral type	Mtr.	75		
Sqmm Arn		Nos.	50		
Nos. each)		Nos.	60		
	mm Steel Fastener	Nos.	15		
	200 mm long (100 Pcs. Pkt.)	Pkt.	5		
	The state of the s				
	Total Amount-				